Facility Certification

Women's Volleyball

General Requirements:

- Permanent or portable stadium seating capacity minimum of 300
- PA System

Electronic Scoreboard Requirements:

- Home score
- Visitor score
- Countdown clock
- Current set (1-5)
- Sets won for both teams (0-3)
- Timeouts remaining (0-2)

Athletic Communication Requirements:

- Table and chairs for seating of 6 media personnel (in addition to all event staff workers)
- Wi-Fi credentials (recommended to have wired internet access as well)
- Minimum 1 power outlet per chair
- Printer for stats after every set

Scores Table Capacity/Positions

- Capacity – 7 people
    - Minimum 1 scoreboard operator
    - Minimum 1 statistician
    - Minimum 1 libero tracker
    - Minimum 1 stat book keeper
    - Minimum 1 PA announcer
    - Minimum 1 music operator
    - Minimum 1 video replay coordinator

Locker Room Requirements

- 2 secure locker rooms located in or adjacent to the venue
- All participating teams will be provided secure locker rooms for use before and after the contest. Locker rooms must include:
    - Toilets
    - Sinks
    - Lockers
    - Showers
    - Hot water

Officials' Space Requirements:

- Changing room(s) available prior to and following the games
- Showers available after the games

Men's and Women's Soccer

General Requirements:

- Permanent or portable stadium seating capacity minimum of 250
- Ability to bring in temporary seating
- PA System (permanent preferred, portable allowed)
- Space reserved as a press box area (preference will be given to sites with a press box)
- Lights if hosting both genders (either permanent or temporary)

Electronic Scoreboard Requirements:

- Home score
- Visitor score
- Game clock
- 1st or 2nd half marking
- Scoreboard horn or temporary compressed air horn

Athletic Communication Requirements:

- Table and chairs for seating of 4 media personnel (in addition to all event staff workers)
- Wi-Fi credentials (recommended to have wired internet access as well)
- Minimum 1 power outlet per chair

Scores Table Capacity/Positions

- Capacity – 4 people
    - Minimum 1 scoreboard operator
    - Minimum 1 statistician
    - Minimum 1 PA announcer
    - Minimum 1 music operator

Locker Room Requirements

- 2 secure locker rooms for use before and after the game
- All participating teams will be provided secure locker rooms for use before and after the contest. Locker rooms must include:
    - Toilets
    - Sinks
    - Lockers
    - Showers
    - Hot water
- If locker rooms are located across campus, a designated covered space for halftime at the venue is required.

Officials' Space Requirements:

- Changing room(s) available prior to and following the games
- Showers available after the games

Men's and Women's Basketball

General Requirements:

- Permanent or portable stadium seating capacity minimum of 500
- PA System

Electronic Scoreboard Requirements:

- Home score
- Visitor score
- Game Clock
- Quarter/half indicator
- Team foul total
- Timeouts remaining

Athletic Communication Requirements:

- Table and chairs for seating of 8 media personnel (in addition to all event staff workers)
- Wi-Fi credentials (recommended to have wired internet access as well)
- Minimum 1 power outlet per chair
- Printer for stats after every quarter/half

Scores Table Capacity/Positions

- Capacity – 8 people
    - Minimum 1 scoreboard operator
    - Minimum 1 game clock operator
    - Minimum 1 shot clock operator
    - Minimum 1 statistician
    - Minimum 1 stat book keeper
    - Minimum 1 PA announcer
    - Minimum 1 music operator
    - Minimum 1 video replay coordinator

Locker Room Requirements

- 4 secure locker rooms located in or adjacent to the venue
- All participating teams will be provided secure locker rooms for use before and after the contest. Locker rooms must include:
    - Toilets
    - Sinks
    - Lockers
    - Showers
    - Hot water

Officials' Space Requirements:

- Changing room(s) available prior to and following the games
- Showers available after the games

Softball

General Requirements:

- Permanent or portable stadium seating capacity minimum of 250
- Ability to bring in temporary seating
- PA System (permanent preferred, portable allowed)
- Space reserved as a press box area (preference will be given to sites with a press box)
- Lights if more than 1 inch of average rainfall in month of May (either permanent or temporary)

Electronic Scoreboard Requirements:

- Home score
- Visitor score
- Inning indicator
- Balls and strikes

Athletic Communication Requirements:

- Table and chairs for seating of 4 media personnel (in addition to all event staff workers)
- Wi-Fi credentials (recommended to have wired internet access as well)
- Minimum 1 power outlet per chair

Scores Table Capacity/Positions

- Capacity – 4 people
    - Minimum 1 scoreboard operator
    - Minimum 1 statistician
    - Minimum 1 PA announcer
    - Minimum 1 music operator

Locker Room Requirements

- Shower facility available for post game

Officials' Space Requirements:

- Changing room

Baseball

General Requirements:

- Permanent or portable stadium seating capacity minimum of 250
- Ability to bring in temporary seating
- PA System (permanent preferred, portable allowed)
- Space reserved as a press box area (preference will be given to sites with a press box)
- Lights if more than 1 inch of average rainfall in month of May (either permanent or temporary)

Electronic Scoreboard Requirements:

- Home score
- Visitor score
- Inning indicator

- Balls and strikes
- Visible action clock

Athletic Communication Requirements:

- Table and chairs for seating of 4 media personnel (in addition to all event staff workers)
- Wi-Fi credentials (recommended to have wired internet access as well)
- Minimum 1 power outlet per chair

Scores Table Capacity/Positions

- Capacity – 4 people
    - Minimum 1 scoreboard operator
    - Minimum 1 statistician
    - Minimum 1 PA announcer
    - Minimum 1 music operator

Locker Room Requirements

- Shower facility available for post-game

Officials' Space Requirements:

- Changing room